

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S3	0	token and 709/203.clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 09:14
S4	1009	token and 709/203.ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 09:14
S5	4542	token.ab.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 09:14
S6	46	S4 and S5	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 09:15
S7	1	"20040208159"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 11:00
S8	21	zintel.in. and (nnp or upnp)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 12:35
S9	176	token with (control adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 12:42
S10	10	S9 and "709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 12:43
S12	0	("2004/0208159").URPN.	USPAT	OR	ON	2008/03/04 16:29
S13	24	upnp and message and (ssdp or simple adj service adj discovery adj protocol) and (cd or control \$5 near1 device) and (cp or contro\$5 near1 point)	USPAT	OR	ON	2008/03/04 16:51
S14	20	list and S13	USPAT	OR	ON	2008/03/04 16:51
S15	3746912	(@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/04 16:53
S16	17	list and S13 and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/04 16:53
S17	7	upnp and message and (ssdp or simple adj service adj discovery adj protocol) and (cd or control \$5 adj1 device) and token	USPAT	OR	ON	2008/03/04 16:59
S18	7	upnp and message and (ssdp or simple adj service adj discovery adj protocol) and (cd or control \$5 adj1 device) and token and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/04 16:59

S19	7	upnp and message and (ssdp or simple adj service adj discovery adj protocol) and (control\$ adj1 device) and token and (@ad<"20030416" or @FLAD<"20030416")	USPAT	OR	ON	2008/03/04 17:00
S20	13	upnp and message and (ssdp or simple adj service adj discovery adj protocol) and (control\$ adj1 device) and token and (@ad<"20030416" or @FLAD<"20030416")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:00
S21	0	(dong\$1shin adj2 jung).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:25
S22	0	(dong adj1 shin adj2 jung).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:26
S23	0	(dong-shin adj2 jung).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:26
S24	0	(dong near1 shin adj2 jung).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:26
S25	0	dong near1 shin adj2 jung	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:26
S26	11	(dong adj2 jung).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:26
S27	18	(Jung-dong-shin\$.in.) or (jung near2 dong near2 shin).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:31
S28	58	(Jung-dong-shin\$.in. or (jung near2 dong near2 shin\$.in. or (yi-kyoung-hoon\$.in. or (yi near2 kyoung near2 hoon\$.in. or (yook-hyun-gyoo\$.in. or (yook near2 hyun near2 gyoo\$.in. or (yoon-hyun-sik\$.in. or (yoon near2 hyun near2 sik\$)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:35
S30	21	controlled adj device and S28	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:37
S31	1	(contro\$4 adj device) and token and S28	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:37
S32	25	controlled adj device with token	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:40
S33	1	upnp and S32	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:40

S34	805	upnp and (contro\$5 adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:41
S35	362	(control\$5 adj point) and S34	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:41
S36	77	alive and S35	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/04 17:42
S37	16	S36 and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/04 17:42
S38	16102	(receive\$3 near6 (messag\$3 or information\$2)) and (collect near6 (information or messag\$3)) and list and network	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:35
S39	10653	S38 and (@ad<"20030416" or @RLAD<"20030416")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:35
S40	2808	(home adj av adj interoperability) or (universal adj plug near2 play) or (home adj wide adj web) or havi or upnp or hww	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:37
S41	88	S39 and S40	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:37
S42	31	(control\$5 adj2 device) and (receive\$3 near6 (messag\$3 or information\$2)) and (collect near6 (information or messag\$3)) and list and network and (@ad<"20030416" or @RLAD<"20030416") and ((home adj av adj interoperability) or (universal adj plug near2 play) or (home adj wide adj web) or havi or upnp or hww)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:41
S43	31	(control\$5 adj2 device) and (receive\$3 near6 (messag\$3 or information\$2)) and (collect near6 (information or messag\$3)) and list and (@ad<"20030416" or @RLAD<"20030416") and ((home adj av adj interoperability) or (universal adj plug near2 play) or (home adj wide adj web) or havi or upnp or hww)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 09:56
S44	865549	Network or lan or wan or (peer near2 peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:47

S45	805	upnp and (contro\$5 adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:52
S46	362	(control\$5 adj point) and S45	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:52
S47	77	alive and S46	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:52
S48	16	S47 and (@ad<"20030416" or @FLAD<"20030416")	USPAT	OR	ON	2008/03/05 10:52
S49	69655	("8" and ((Receive\$3 or receipt\$3 or collect\$3 or transmit\$5 or send\$3) same (Service\$3 or update\$3 or maintain\$4) same (Information or note or notif\$7 or message or data) same (Device or peripheral or computer or pc or server or node or controller or equipment) same (List\$3 or console or (control near3 point) or (central \$2 near3 location) or index or directory or registry or file or log))) not (S41 -6 or s6-s11 or s13-s14 or s16-s20 or s26-s33 or S48)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:52
S50	65784	(S44 and ((Receive\$3 or receipt\$3 or collect\$3 or transmit\$5 or send\$3) same (Service\$3 or update\$3 or maintain\$4) same (Information or note or notif\$7 or message or data) same (Device or peripheral or computer or pc or server or node or controller or equipment) same (List\$3 or console or (control near3 point) or (central \$2 near3 location) or index or directory or registry or file or log))) not (S41 -6 or s6-s11 or s13-s14 or s16-s20 or s26-s33 or S48)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:54
S51	14807	S50 and "709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:55
S52	4076	S50 and 709/201,202,223,224. ccls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 10:56
S53	4076	S51 and S52	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/05 11:41
S54	16156	(receive\$3 near6 (messag\$3 or information\$2)) and (collect near6 (information or messag\$3)) and list and network	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13

S55	10668	S54 and (@ad<"20030416" or @RLAD<"20030416")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S56	2815	(home adj av adj interoperability) or (universal adj plug near2 play) or (home adj wide adj web) or havi or upnp or hww	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S57	88	S55 and S56	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S58	867641	Network or lan or wan or (peer near2 peer)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S59	806	upnp and (contro\$5 adj device)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S60	363	(control\$5 adj point) and S59	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S61	77	alive and S60	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S62	16	S61 and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/06 12:13
S63	66028	(S58 and ((Receiv\$3 or recept\$3 or collect\$3 or transmit\$5 or send\$3) same (Servic\$3 or updat\$3 or maintain\$4) same (Information or note or notif\$7 or message or data) same (Device or peripheral or computer or pc or server or node or controller or equipment) same (List\$3 or console or (control near3 point) or (central \$2 near3 location) or index or directory or registry or file or log))) not (S57 -6 or s6-s11 or s13-s14 or s16-s20 or s26-s33 or S62)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S65	4084	S63 and 709/201,202,223,224. ocls.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S66	4084	S64 and S65	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 12:13
S70	61929	"709".clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 16:23
S71	64978	S69 adn S70	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 16:23

S72	31	S69 and S70	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/06 16:23
S73	18	S72 and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/06 16:24
S89	53	("5140585" "5185860" "5287103" "5304992" "5337309" "5353399" "5542047" "5548722" "5548725" "5550979" "5588119" "5604869" "5615389" "5668952" "5687320" "5706210" "5727157" "5751967" "5754767" "5774667" "5802300" "5838907" "5845081").PN. OR ("6021429"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/03/10 17:04
S90	27	"6725281"	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 11:17
S91	253	token with (time adj out)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 11:25
S92	48	token with (timeout or time adj out) with list	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 11:35
S95	32	S94 and (@ad<"20030416" or @RLAD<"20030416")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 15:22
S96	59	(timer or timeout or time adj out) with list with device and (@ad<"20030416" or @RLAD<"20030416") and "709". clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 15:49
S97	45686	(timer or timeout or time adj out) with list with device and token (@ad<"20030416" or @RLAD<"20030416") and "709". clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 15:56
S98	13	(timer or timeout or time adj out) with list with device and token and (@ad<"20030416" or @RLAD<"20030416") and "709". clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 15:56
S101	126	(timer or timeout or time adj out) with token and (@ad<"20030416" or @RLAD<"20030416") and "709". clas.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/11 18:18
S104	178	(device near5 list) with (timer or timeout or time adj out)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2008/03/12 14:47
S105	63	S104 and (@ad<"20030416" or @RLAD<"20030416")	USPAT	OR	ON	2008/03/12 14:48

S107	10659	(send or sent or transt\$5 or transm\$6) with (list or table) near4 device	US-PGPUB; USPAT	OR	ON	2008/03/12 17:05
S108	1697	"709".clas. and S107	US-PGPUB; USPAT	OR	ON	2008/03/12 17:06
S111	249	S108 and (@ad<"20030416" or @RLAD<"20030416") and timer	US-PGPUB; USPAT	OR	ON	2008/03/12 17:07
S112	1119	S108 and (@ad<"20030416" or @RLAD<"20030416") and network	US-PGPUB; USPAT	OR	ON	2008/03/12 17:08
S113	125	S108 and (@ad<"20030416" or @RLAD<"20030416") and network and (time adj out)	US-PGPUB; USPAT	OR	ON	2008/03/12 17:08

3/13/2008 2:36:22 PM

C:\Documents and Settings\Ychen2\My Documents\EAST\Workspaces\list.wsp